Syst. Biol. 41(4):511–519, 1992

Index for Volume 41 (1992)

COMPILED BY TROY L. BEST

Abele, Lawrence G., see Spears, Trisha, —
Accessing the literature and data bases of molecular biology (rev.), David M. Hillis, 268–269
Accountant's report: annual meeting, 1992, John C. Townsend, Jr., 504–506
Acridotheres tristis, 245, 473–477, 481
Acrocheilus
  alutaceus, 46
  latus, 46–48
Adaptation, 178–195
Additive trees, 158–171
Adelomyia melanogenys, 243
Aepyprimnus, 167
Ahlquist, Jon E., see Sibley, Charles G., and —
Aimophlia quinquefasciata, 242
Ainsliaea, 441
Aix, 175
Albert, James S., see Eernisse, Douglas J., —
Aleuroscalabotes, 180
Allometry, 18–32, 233–241
Amazilia, 243
Ammerman, Loren K., and David M. Hillis, A molecular test of bat relationships: monophyly or diphyly?, 222–232
Analysis, 18–32
  finite element, 196–221
  phylogenetic, 178–195, 305–330, 483–490
  covariance, 345–369
Anas, 175
Ancestors, 141–157, 372–378, 436–445
Ancestral areas: a cladistic reinterpretation of the center of origin concept, Kåre Bremer, 436–445
Ancestry, paleontology, and definition of the name Mammalia, Timothy Rowe and Jacques Gauthier, 372–378
Anderson, Frank E., see Eernisse, Douglas J., —
Aneides, 282
  lugubris, 275, 277, 279
Anguidae, 189
Anhingidae, 346
Animal, 305–330
Annelida and Arthropoda are not sister taxa: a phylogenetic analysis of spiralian metazoan morphology, Douglas J. Eernisse, James S. Albert, and Frank E. Anderson, 305–330
Anole systematics revisited, Craig Guyer and Jay M. Savage, 89–110
Anolis, 89–110, 403–420
  aliniger, 408
  alligator, 104
  bahorucoensis, 408
  baleatus, 408
  bimaculatus, 404, 405
  chlorocyanus, 408
  christophei, 408, 409, 411
  coelestinus, 408
  cooki, 406
  cristatellus, 410
  cuvieri, 410, 412
  cybotes, 408
  distichus, 408
  equestris, 106
  ferreus, 405
  garmani, 406
  gingivinus, 415
  grahami, 406
  insolitus, 408
  leachi, 404, 405
  lineatopus, 412
  longitibialis, 408
  occultus, 94, 104, 106, 410, 412
  olssoni, 408
  opalinus, 406
  pogus, 415
  pulchellus, 410
  reconditus, 406
  roquet, 104
  sagrei, 406
  semilineatus, 408
  singularis, 408
  valencienni, 412
  wattsi, 405
ANOVA, model II, 471–482
Anser, 175
Anseranas, 130, 175
Aphanius, 45
Apis, 484
  mellifera, 486
Ara, 130
Archaeopteryx, 463
Archeopteryx, 496
Archonta, 222–232
Argument: Charles Darwin and the genesis of modern evolutionary thought, one long, E. Mayr (rev.), 397–398
Arnaldoa, 441
Artemia salina, 450, 486
Arthropoda, 305–330
Ashlock, Peter D., see Mayr, Ernst, and —
Asioryctes, 60
Asteraceae, 436–445
Atchley, William R., David E. Cowley, Claus Vogl, and Tracy McLellan, Evolutionary divergence, shape change, and genetic correlation structure in the rodent mandible, 196–221
Atherinidae, 45

Atrichornithidae, 243
Audantia armouri, 105
Axis,
  major, 233–241
  reduced major, 233–241
  standard major, 233–241
Aythya, 175

Baptista, Luis F., and Pepper W. Trail, The role of song in the evolution of passerine diversity, 242–247
Barnadesia, 441
Bat monophyly, 222–232
Bell, Graham, Sex and death in Protozoa. The history of an obsession (rev.), 266–267
Biogeography, 178–195, 248–251, 331–344, 436–445
  historical, 178–195
Biomechanics in evolution, J. M. V. Rayner and R. J. Wootton (eds.) (rev.), 495–496
Body size, 18–32
Bombyx mori, 486
Bookstein, Fred L., see Rohlf, F. James, and —
Bos, 225
  taurus, 486
Bowlby, J., Charles Darwin: a new life (rev.), 397–398
Bowler, P. J., Charles Darwin: the man and his influence (rev.), 397–398
Brachyura, 446–461
Branch lengths, 18–32
Bremer, Kåre, Ancestral areas: a cladistic reinterpretation of the center of origin concept, 436–445
Briggs, 248–251
Bryant, Harold N., The role of permutation tail probability tests in phylogenetic systematics, 258–263
Búsqueda del método natural (rev.), la, J. Llorente B., 268

Cactaceae, 80
Caenorhabditis elegans, 486
Calappidae, 447
Calypte anna, 243
Campostoma
  anomalum, 44
  oligolepis, 44
Cancer irroratus, 447, 449, 451, 452, 456, 458
Cancridae, 447, 458
Cantor, G. N., see Olby, R. C., —
Capromys, 174
Carpodacus mexicanus, 245
Cathartes, 130
Catostomidae, 41–57
Catostomus
  ardens, 44, 46
  clarki, 44
  columbianus, 44
  discobolus, 43–45
  insignis, 44
  latipinnis, 44
  platyrhynchus, 44
  plebeius, 44, 45
  rimiculus, 44
  snyderi, 44
Caudata, 273–291
Center of origin, 436–445
Centrarchidae, 45
Centric diatoms, 141–157
Cerion, 292, 294, 295
  abacoense, 301, 302
  bendalli, 301, 302
Chamaeleolis, 94, 96, 97, 100, 101, 108, 109
Chamaelinorops, 91, 94, 96, 97, 99–101, 108–110
Character displacement, 403–420
Charles Darwin: a new life, J. Bowlby (rev.), 397–398
Charles Darwin: the man and his influence, P. J. Bowler, (rev.), 397–398
Chasmistes
  brevirostris, 44
  liorus, 43, 44, 46
Chauna, 175
Chiroptera, 222–232
Chloebia gouldiae, 242
Christie, J. R. R., see Olby, R. C., —
Chuquiraga, 441
Cisticola, 129
Cistothorus palustris, 242
Cladistic permutation tail probability, 252–257, 258–263
Cladistics, 41–57, 58–73, 252–257, 331–344, 345–369, 421–435, 436–445
Cladograms, 158–171
Clibanarius vittatus, 447, 449, 451, 452, 454, 456, 457
Clusters, species concepts, and morphological evolution of diatoms, Edward Theriot, 141–157
Coding, generalized gap, 345–369
Coleonyx, 178–195
  brevis, 178, 181–186, 188–193
  elegans, 180, 182, 184–186, 188–191
  fasciatus, 178, 181, 182, 188–193
  mitratus, 180, 182, 184–186, 188–191
  reticulatus, 178, 181, 182, 184–186, 188–193
  switaki, 178, 180–186, 188–193
  variegatus, 178, 181–186, 188–193
Colibri coruscans, 243
Columba livia, 243
Community assembly, 403–420
Companion to the history of modern science. R. C. Olby, G. N. Cantor, J. R. R. Christie, and M. J. S. Hodge (eds.) (rev.), 395–397
Comparative method, 18–32, 345–369
Compatibility, 33–40
Compsohalieus
  harrisi, 347, 349, 359
  penicillatis, 358
  penicillatus, 347, 349, 356–357, 362–365
Concerted evolution, 4–17
Congruence, 172–177
Consensus, 158–171
  index, 172–177
Convergent structure, 403–420
Coregonus
  artedii, 44
  hoyi, 43, 44
  lavaretus, 44
  pidschian, 44
Correlation,
  genetic, 196–221
  matrix, 378–384
Cottidae, 45

Cottus
bairdi, 45
cognatus, 45
Covariance, analysis of, 345–369
Covariation, morphological, 292–304
Cowley, David E., see Atchley, William R., —
Crania, 329
Cranston, Peter S., see Faith, Daniel P., and —
Crawford, R. M., see Round, F. E., —
Cricetulus griseus, 486
Ctenonotus, 97, 100–102, 104, 105
Cyclostephanos, 126, 155
Cyclotella, 126, 155
Cygnus, 175
Cynocephalus, 225
volans, 223
Cyprinidae, 43, 44, 46
Cyprinodon
atrorus, 45
bifasciatus, 45
pecosensis, 45
variegatus, 45
Cyprinodontidae, 43, 45
Cytochrome *b*, 273–291

Dactyloa, 94, 95, 101, 103, 104
frenata, 97
Darwin, A. Desmond and J. Moore (rev.), 397–398
Darwin, Charles, 397–398
Darwiniana, G. Nelson (rev.), 397–398
Dasyphyllum, 441
Dasyprocta, 174
Dasypus, 225
novemcinctus, 223
Davis, Jerrold I, and Kevin C. Nixon, Populations, genetic variation, and the delimitation of phylogenetic species, 421–435
de Pinna, Mário, Patrícia Escalante, and Gareth Nelson, review by, 268
de Queiroz, Kevin, review by, 264–266
Deccanolestes, 248
Deltistes luxatus, 44
Dendrocygna, 175
Dendrograms, 158–171
Descendants, 141–157
Desmond, A., and J. Moore, Darwin (rev.), 397–398
Development, 196–221
Dial, Benjamin E., and L. Lee Grismer, A phylogenetic analysis of physiological-ecological character evolution in the lizard genus *Coleonyx* and its implications for historical biogeographic reconstruction, 178–195
Diatoms. Biology and morphology of the genera (rev.), the, F. E. Round, R. M. Crawford, and D. G. Mann, 125–126
DNA,
human mitochondrial, 111–124, 384–391, 436–445
mitochondrial, 41–57, 273–291, 331–344
ribosomal, 446–461
sequences, 273–291
DNA-DNA hybridization and avian phylogeny (rev.), David P. Mindell, 126–134
Doniophyton, 441
Donoghue, Michael J., and Joachim W. Kadereit, Walter Zimmermann and the growth of phylogenetic theory, 74–85
Doyle, Jeff J., see Sanderson, Michael J., and —
Dromidia antillensis, 447, 449, 451, 452, 454, 456, 457
Dromiidae, 446–461
Drosophila, 485
erecta, 486
melanogaster, 483, 484, 486, 487
miranda, 486
Duseniella, 441
Dynomenidae, 449, 459

Ecomorphology, 403–420
Editor's report: annual meeting, 1992, David M. Hillis, 504–506
Editorial comment: the present and future of *Systematic Biology*, David M. Hillis and Michael M. Miyamoto, 1–3
Eernisse, Douglas J., James S. Albert, and Frank E. Anderson, Annelida and Arthropoda are not sister taxa: a phylogenetic analysis of spiralian metazoan morphology, 305–330
Emberizidae, 242, 473
Embryology, 305–330
Empidonax alnorum, 473, 477, 481
Ensatina eschscholtzii, 273–291
Entrez: sequences on CD-ROM, National Center for Biotechnology Information (rev.), 268–269
Eohiodon, 465
Eosalmo driftwoodensis, 465
Error,
measurement, 471–482
type II, 471–482
Errors in variables, 233–241
Escalante, Patrícia, see de Pinna, Mário, —
Esocidae, 44, 462–470
Esox, 467
americanus, 44, 466
niger, 466
tiemani, 466
Estabrook, George F., Evaluating undirected positional congruence of individual taxa between two estimates of the phylogenetic tree for a group of taxa, 172–177
Estimates of nonreciprocity in immunological studies, a review of, Craig Guyer, 85–88
Estrilda erythronotos, 242
Eublepharidae, 178–195
Eublepharis, 180, 187
macularius, 181, 182, 184, 185
Euphagus cyanocephalus, 473, 474, 481
Eupristis, 106
Eutherian mammals, 58–73
Evaluating undirected positional congruence of individual taxa between two estimates of the phylogenetic tree for a group of taxa, George F. Estabrook, 172–177
Evaporative water-loss rate, 178–195
Evolution, 196–221, 403–420
character, 178–195
concerted, 4–17
molecular, 126–134
morphological, 141–157
passerine diversity, 242–247

Evolution of convergent structure in Caribbean *Anolis* communities, the, Jonathan B. Losos, 403–420
Evolutionary
divergence, 196–221
rates, 18–32, 41–57
relationships, 273–291
Evolutionary divergence, shape change, and genetic correlation structure in the rodent mandible, William R. Atchley, David E. Cowley, Claus Vogl, and Tracy McLellan, 196–221
Evolutionary relationships within the *Ensatina eschscholtzii* complex confirm the ring species interpretation, Craig Moritz, Christopher J. Schneider, and David B. Wake, 273–291
Extinction and the definition of the class Mammalia, Spencer G. Lucas, 370–371

Faith, Daniel P., and Peter S. Cranston, Probability, parsimony, and Popper, 252–257
Finite element analyses, 196–221
Fossils, 41–57, 58–73, 345–369, 462–470
Fossils, topologies, missing data, and the higher level phylogeny of eutherian mammals, Michael J. Novacek, 58–73
Fractional weight, 490–494
Friedlander, Timothy P., Jerome C. Regier, and Charles Mitter, Nuclear gene sequences for higher level phylogenetic analysis: 14 promising candidates, 483–490
Fringilla
coelebs, 244
teydea, 244
Fulcaldea, 441
Functional
morphology, 18–32
regression, 233–241
Fundulus
notatus, 45
olivaceous, 45

Gambusia, 43
affinis, 44, 46
heterochir, 44, 46
holbrooki, 44
Gans, Carl, review by, 495–496
Garland, Theodore, Jr., Paul H. Harvey, and Anthony R. Ives, Procedures for the analysis of comparative data using phylogenetically independent contrasts, 18–32
Gastropods, 292–304
Gauthier, Jacques, see Rowe, Timothy, and —
Gekkonidae, 189
Generalized gap coding, 345–369
Genetic
correlation, 196–221
variation, 421–435
Geocapromys, 174
Geographic origin of human mitochondrial DNA revisited, Mark Stoneking, Stephen T. Sherry, and Linda Vigilant, 384–391
Geographic origins of human mitochondrial DNA: phylogenetic evidence from control region sequences, David R. Maddison, Maryellen Ruvolo, and David L. Swofford, 111–124
Geographic variation, 273–291
Ghiselin, Michael T., review by, 497–499
Gila
bicolor, 43, 44
cypha, 44
elegans, 44
grahami, 44
orcutti, 43, 44
robusta, 44
Ginkgo, 80
Glossophaga, 225, 227
soricina, 223
Gochnatia, 441
Gomphoneis, 157
Goniurosaurus, 180
kuroiwae, 181, 182, 184, 185
Goodin, John T., and Michael S. Johnson, Patterns of morphological covariation in *Partula*, 292–304
Grismer, L. Lee, see Dial, Benjamin E., and —
Grosberg, R. K., review by, 266–267
Guyer, Craig, A review of estimates of nonreciprocity in immunological studies, 85–88
Guyer, Craig, and Jay M. Savage, Anole systematics revisited, 89–110

Handford, Paul, see Yezerinac, Stephen M., —
Harrison, Richard G., see Hayes, John P., and —
Harvey, Paul H., see Garland, Theodore, Jr., —
Hayes, John P., and Richard G. Harrison, Variation in mitochondrial DNA and the biogeographic history of woodrats (*Neotoma*) of the eastern United States, 331–344
Hemitheconyx, 180, 187
caudicinctus, 181, 182, 184, 185
Hepatus epheliticus, 447, 449, 451, 452, 456, 457
Hesperoleucus, 43, 45
symmetricus, 44
Hesperomannia, 441
Heteromunia pictorella, 242
Hierarchy, 421–435
Hillis, David M., Accessing the literature and data bases of molecular biology (rev.), 268–269
Hillis, David M., and Michael M. Miyamoto, Editorial comment: the present and future of *Systematic Biology*, 1–3
Hillis, David M., Editor's report: annual meeting, 1992, 504–506
Hillis, David M., see Ammerman, Loren K., and —
Hiodon, 465
Hiodontidae, 462–470
Hirundo, 129
Historical biogeography, 178–195
Hodge, M. J. S., see Olby, R. C., —
Holodactylus, 180, 187
Homarus americanus, 457
Home range, 18–32
Homo sapiens, 484, 486
Homolidae, 459
Homolodromiidae, 459
Homoplasy, 4–17
Huarpea, 440, 441
Human mitochondrial DNA, 111–124, 384–391, 436–445

Hypoconcha arcuata, 447, 449, 451, 452, 454, 456, 457
Hypoleucos varius, 347, 349, 356–358, 362–365
Hypomesus, 468, 469
Hyracotherium, 62, 65–69

Ikeda, 329
Iliacantha subglobosa, 447, 449, 451, 452, 456–458
Immunological studies, 85–88
Imocaris tuberculata, 449
Importance for phylogeny of single and multiple stem-group fossil species with examples from freshwater fishes, Mark V. H. Wilson, 462–470
Index, consensus, 172–177
Indo-Pakistan, 248–251
Information content and fractional weight of three-item statements, G. Nelson and P. Y. Ladiges, 490–494
International Commission on Zoological Nomenclature: what it is and how it operates, the, P. K. Tubbs, 135–137
Introgression in fishes: significance for paleontology, cladistics, and evolutionary rates, Gerald R. Smith, 41–57
Ives, Anthony R., see Garland, Theodore, Jr., —

Johnson, Michael S., see Goodin, John T., and —

Kadereit, Joachim, W., see Donoghue, Michael J., and —
Kangaroo, 158–171
Kellogg, Elizabeth A., Secretary's report: annual meeting, 1992, 502
Kennalestes, 60
Kim, Won, see Spears, Trisha, —
Kimura, Daniel K., Symmetry and scale dependence in functional relationship regression, 233–241

Ladiges, P. Y., see Nelson, G., and —
Lapointe, François-Joseph, and Pierre Legendre, A statistical framework to test the consensus among additive trees (cladograms), 158–171
Lapointe, François-Joseph, and Pierre Legendre, Statistical significance of the matrix correlation coefficient for comparing independent phylogenetic trees, 378–384
Latreilliidae, 459
Lavinia, 45
  exilicauda, 44
Legendre, Pierre, see Lapointe, François-Joseph, and —
Lepomis
  cyanellus, 45
  gibbosus, 45
  macrochirus, 43, 45
Leucosiidae, 447, 458
Libinia emarginata, 447, 449, 451, 452
Llorente B., J., La búsqueda del método natural (rev.), 268
Lophodytes, 175
Losos, Jonathan B., The evolution of convergent structure in Caribbean *Anolis* communities, 403–420
Lougheed, Stephen C., see Yezerinac, Stephen M., —
Lucas, Spencer G., Extinction and the definition of the class Mammalia, 370–371
Lucifer, 499

Macropodidae, 158–171
Maddison, David R., Maryellen Ruvolo, and David L. Swofford, Geographic origins of human mitochondrial DNA: phylogenetic evidence from control region sequences, 111–124
Magnoliaceae, 80
Majidae, 447, 458
Major axis, 233–241
Mallotus, 468, 469
Mammalia, 370–371, 372–378
Mandible, 196–221
Manduca, 485
  sexta, 486
Mann, D. G., see Round, F. E., —
Matrix correlation coefficient, 378–384
Maximum likelihood, 33–40
Mayr, E., One long argument: Charles Darwin and the genesis of modern evolutionary thought (rev.), 397–398
Mayr, Ernst, and Peter D. Ashlock, Principles of systematic zoology (rev.), 264–266
McDiarmid, Roy W., Treasurer's report: annual meeting, 1992, 502–503
McKenna, M. C., see Thewissen, J. G. M., and —
McLellan, Tracy, see Atchley, William R., —
Meaning of evolution: the morphological construction and ideological reconstruction of Darwin's theory, the, Robert J. Richards (rev.), 496–497, 497–499
Measurement error and morphometric studies: statistical power and observer experience, Stephen M. Yezerinac, Stephen C. Lougheed, and Paul Handford, 471–482
Menidia beryllina, 45
Menippe mercenaria, 447, 449, 451, 452, 456
Menuridae, 243
Mesocricetus auratus, 486
Metazoa, 305–330
Methods, comparative, 18–32, 345–369
Mice, 196–221
Microsyopidae, 60
Mindell, David P., DNA-DNA hybridization and avian phylogeny (rev.), 126–134
Minutes of the business meeting, Berkeley, California, 18 June 1992, 501–502
Minutes of the Council meeting, Society of Systematic Biologists, Berkeley, California, 17 June 1992, 500–501
Mitochondrial DNA, 41–57, 273–291, 331–344
  human, 111–124, 384–391, 436–445
Mitter, Charles, see Friedlander, Timothy P., —
Miyamoto, Michael M., see Hillis, David M., and —
Mniaceae, 83
Model II ANOVA, 471–482
Model, null, 403–420
Moeritherium, 62, 65
Molecular
  evolution, 126–134
  systematics, 446–461
  test, 222–232
Molecular test of bat relationships: monophyly or diphyly?, a, Loren K. Ammerman and David M. Hillis, 222–232
Mollusca, 305–330
Molothrus ater, 473, 481

Monophyly of brachyuran crabs: a phylogenetic study based on 18S rRNA, the, Trisha Spears, Lawrence G. Abele, and Won Kim, 446–461
Moore, J., see Desmond, A., and —
Morganucodontidae, 370
Moritz, Craig, Christopher J. Schneider, and David B. Wake, Evolutionary relationships within the *Ensatina eschscholtzii* complex confirm the ring species interpretation, 273–291
Morphological
  covariation, 292–304
  evolution, 141–157
Morphology, 305–330
  functional, 18–32
Morphometrics, 196–221, 292–304, 345–369, 471–482
Morus
  bassanus, 348, 349, 355–358, 362–365
  capensis, 349, 355–357, 362–365
  serrator, 349, 359
  vagabundus, 347–355, 359–361, 363, 365, 366
Multigene family, 4–17
Mus, 223, 225
  domesticus, 339
  musculus, 201, 339, 486
Mylocheilus
  caurinus, 44, 46
  robustus, 46–48
Myocastor, 174

National Center for Biotechnology Information, Entrez: sequences on CD-ROM (rev.), 268–269
Nelson, G., and P. Y. Ladiges, Information content and fractional weight of three-item statements, 490–494
Nelson, G., Darwiniana (rev.), 397–398
Nelson, G., review by, 496–497
Nelson, Gareth, see de Pinna, Mário, —
Neochen, 175
Neotoma
  albigula, 333–335, 338, 341, 342
  floridana, 331–344
  magister, 332
  micropus, 333–335, 338, 341, 342
Niche, 403–420
Nixon, Kevin C., see Davis, Jerrold I, and —
Nonlinear regression, 233–241
Norops, 94, 95, 97, 99–102, 104, 105
Nothoprocta, 129
Notonecta undulata, 240, 241
Notropis
  chrysocephalus, 43–45
  cornutus, 43–45
  lutrensis, 44
  rubellus, 44
  venustus, 44
Novacek, Michael J., Fossils, topologies, missing data, and the higher level phylogeny of eutherian mammals, 58–73
Nuclear gene sequences for higher level phylogenetic analysis: 14 promising candidates, Timothy P. Friedlander, Jerome C. Regier, and Charles Mitter, 483–490
Null model, 403–420

Octodon, 174
Olby, R. C., G. N. Cantor, J. R. R. Christie, and M. J. S. Hodge (eds.), Companion to the history of modern science (rev.), 395–397
Oncorhynchus
  apache, 44
  clarki, 44
  gilae, 44
  gorbuscha, 44, 45, 51
  keta, 44, 45, 51, 53
  mykiss, 44
  nerka, 51, 53
  salax, 51, 53
Optimality criteria for selecting subsets of most parsimonious trees, two, Allen G. Rodrigo, 33–40
Ornithorhynchidae, 370
Osmeridae, 44, 462–470
Osmerus
  relictus, 44
  spirinchus, 44
Ostrinia nubilalis, 486
Owen, 248–251
Oxyura, 175

Palaemonetes kadiakensis, 447, 449, 451–453
Paleobiogeography of Indo-Pakistan: a response to Briggs, Patterson, and Owen, J. G. M. Thewissen and M. C. McKenna, 248–251
Paleontology, 41–57, 372–378
  vertebrate, 462–470
Panulirus argus, 457, 458
Papasula abbotti, 347
Parsimony, 4–17, 33–40, 252–257, 345–369, 436–445
Parthenope serrata, 447, 449, 451, 452
Parthenopidae, 447
Partula, 292–304
  aurantia, 293, 294, 298, 300
  exigua, 293, 294, 298, 300
  mirabilis, 293, 294, 297, 298, 300
  mooreana, 293, 294, 298, 300
  suturalis, 292–294, 298, 300–302
  taeniata, 292–294, 298–302
  tohiveana, 293, 294, 298, 300
Passer domesticus, 245, 473–477, 481
Passerculus sandwichensis, 473–475, 477, 481
Passeridae, 473
Passerina
  amoena, 244
  cyanea, 244
Passerines, 471–482
Patella vulgata, 486
Patterns of morphological covariation in *Partula*, John T. Goodin and Michael S. Johnson, 292–304
Patterson, 248–251
Penthetor, 225
  lucasi, 223
Percidae, 45
Peripheral isolation, 141–157
Permutation tail probability tests in phylogenetic systematics, the role of, Harold N. Bryant, 258–263
Permutation test, 158–171, 258–263
Petrogale, 167
Petromus, 174
Phalacrocoracidae, 346
Phalangoptyon, 104

Phascolarctos, 225
cinereus, 223
Phenacosaurus, 94, 96, 97, 100, 101, 108, 109
Phoxinus
eos, 44
neogaeus, 44
Phylogenetic, 18–32, 41–57, 273–291, 331–344, 421–435, 446–461
analysis, 178–195, 305–330, 483–490
confidence, 222–232
evidence, 111–124
species, 421–435
systematics, 258–263
theory, 74–85
tree, 172–177, 378–384
Phylogenetic analysis of physiological-ecological character evolution in the lizard genus *Coleonyx* and its implications for historical biogeographic reconstruction, a, Benjamin E. Dial and L. Lee Grismer, 178–195
Phylogeny, 4–17, 33–40, 58–73, 126–134, 178–195, 305–330, 403–420, 446–461, 462–470
Phylogeny and classification of birds: a study in molecular evolution, Charles G. Sibley and Jon E. Ahlquist, 126–134
Phylogeography, 331–344
Picea, 339
Pinaceae, 80
Pinus banksiana, 339
Plagiodontia, 174
Plants, animals and formulae, Dirk Stemerding (rev.), 395–397
Plecoglossus, 467–469
Plesiadapidae, 60
Plethodon, 282
cinereus, 339
elongatus, 275, 277, 279
Ploceidae, 244
Poecilia, 44
Poeciliidae, 43, 44
Poeciliopsis monacha-occidentalis, 44
Polychrus, 91, 108
Pongo, 225
Popper, 252–257
Population variation, 421–435
Populations, genetic variation, and the delimitation of phylogenetic species, Jerrold I Davis and Kevin C. Nixon, 421–435
Potorous, 168
Principles of systematic zoology, Ernst Mayr and Peter D. Ashlock (rev.), 264–266
Probability,
cladistic permutation tail, 252–257, 258–263
Probability, parsimony, and Popper, Daniel P. Faith and Peter S. Cranston, 252–257
Procambarus leonensis, 458
Procedures for the analysis of comparative data using phylogenetically independent contrasts, Theodore Garland, Jr., Paul H. Harvey, and Anthony R. Ives, 18–32
Proceedings of the Michigan Morphometrics Workshop, F. James Rohlf and Fred L. Bookstein (eds.) (rev.), 392–395
Pteropus, 225, 228
scapulatus, 223
Ptychocheilus oregonensis, 46
Puccinellia, 432
Pulsatilla, 84

Quantitative genetics, 196–221

Ranilia muricata, 447, 449, 451, 454, 457
Raninidae, 446–461
Raninoides louisianensis, 447, 449–451, 454, 457
Rate,
evaporative water-loss, 178–195
evolutionary, 18–32, 41–57
standard metabolic, 178–195
Rats, 196–221
Rattus norvegicus, 201, 486
Rayner, J. M. V., and R. J. Wootton (eds.), Biomechanics in evolution (rev.), 495–496
Reading the shape of nature, Mary P. Winsor (rev.), 395–397
Reconstruction of organismal and gene phylogenies from data on multigene families: concerted evolution, homoplasy, and confidence, Michael J. Sanderson and Jeff J. Doyle, 4–17
Reduced major axis, 233–241
Regier, Jerome C., see Friedlander, Timothy P., —
Regression,
functional, 233–241
nonlinear, 233–241
Regulus, 129
Report of Society business for 1992, 500–506
Rhinichthys
cataractae, 44
osculus, 44
Rhynia, 495
Ribosomal DNA (rDNA), 446–461
Ribosomal RNA (rRNA), 446–461
Richards, Robert J., The meaning of evolution: the morphological construction and ideological reconstruction of Darwin's theory (rev.), 496–497, 497–499
Richardsonius balteatus, 44, 46
Ring species, 273–291
RNA, 305–330
ribosomal, 446–461
Rodrigo, Allen G., Two optimality criteria for selecting subsets of most parsimonious trees, 33–40
Rohlf, F. James, and Fred L. Bookstein (eds.), Proceedings of the Michigan Morphometrics Workshop (rev.), 392–395
Role of morphometrics and cladistics in the taxonomy of fossils: a paleornithological example, the, Kenneth I. Warheit, 345–369
Round, F. E., R. M. Crawford, and D. G. Mann, The diatoms. Biology and morphology of the genera (rev.), 125–126
Rowe, Timothy, and Jacques Gauthier, Ancestry, paleontology, and definition of the name Mammalia, 372–378
Ruvolo, Maryellen, see Maddison, David R., —

Salmonidae, 41–57, 462–470
Sanderson, Michael J., and Jeff J. Doyle, Reconstruction of organismal and gene phylogenies from data on multigene families: concerted evolution, homoplasy, and confidence, 4–17

Savage, Jay M., see Guyer, Craig, and —
Schistes goeffroyi, 243
Schlechtendahlia, 440, 441
Schneider, Christopher J., see Moritz, Craig, —
Secretary's report: annual meeting, 1992, Elizabeth A. Kellogg, 502
Semiurus, 97, 101, 104
Sergestidae, 499
Setonix, 168
Sex and death in Protozoa. The history of an obsession, Graham Bell (rev.), 266–267
Sherry, Stephen T., see Stoneking, Mark, —
Sibley, Charles G., and Jon E. Ahlquist, Phylogeny and classification of birds: a study in molecular evolution, 126–134
Smilodonichthys, 51
Smith, Gerald R., Introgression in fishes: significance for paleontology, cladistics, and evolutionary rates, 41–57
Song in the evolution of passerine diversity, the role of, Luis F. Baptista and Pepper W. Trail, 242–247
Spears, Trisha, Lawrence G. Abele, and Won Kim, The monophyly of brachyuran crabs: a phylogenetic study based on 18S rRNA, 446–461
Speciation, 141–157, 273–291
Species
  fossil, 462–470
  concepts, 141–157
  phylogenetic, 421–435
  ring, 273–291
Sphenodon punctatus, 190
Spizella passerina, 242
Standard major axis, 233–241
Standard metabolic rate, 178–195
Star trees, 158–171
Statistical framework to test the consensus among additive trees (cladograms), a, François-Joseph Lapointe and Pierre Legendre, 158–171
Statistical
  power, 471–482
  test, 158–171
  significance, 378–384
Statistical significance of the matrix correlation coefficient for comparing independent phylogenetic trees, François-Joseph Lapointe and Pierre Legendre, 378–384
Statistics, 18–32, 158–171, 345–369, 378–384, 471–482
Stemerding, Dirk, Plants, animals and formulae (rev.), 395–397
Stenopadus, 441
Stephanodiscus, 126, 141–157
  agassizensis, 145, 155, 156
  alpinus, 145, 155, 156
  carconensis, 145, 156
  galileensis, 145, 148, 155, 156
  hantzschii, 143, 145, 155, 156
  minutus, 145
  neoastraea, 145, 148
  niagarae, 141–153, 155, 156
  reimerii, 142, 145, 146, 148, 150–152, 155, 156
  rotula, 145, 148, 155, 156
  subtransilvanicus, 145, 156
  superiorensis, 142, 145, 146, 148, 150, 152, 156
  vestibulis, 145, 156, 157
  yellowstonensis, 141–146, 148–153, 155, 156
Stevens, P. F., review by, 395–397
Stictonetta, 175
Stizostedion
  canadense, 45
  glaucum, 45
  vitreum, 45
Stoneking, Mark, Stephen T. Sherry, and Linda Vigilant, Geographic origin of human mitochondrial DNA revisited, 384–391
Sturnidae, 473
Sula
  brewsteri, 347
  dactylatra, 349, 356, 357, 362–365
  leucogaster, 347–349, 356, 357, 362–365
  nebouxii, 347–349, 356–358, 362–365
  piscator, 347
  sula, 347–349, 354–357, 362–365
  variegata, 349, 356, 357, 362–365
  willetti, 366
Sulidae, 345–369
Swofford, David L., see Maddison, David R., —
Symmetry and scale dependence in functional relationship regression, Daniel K. Kimura, 233–241
Systematics, 89–110, 258–263, 446–461, 462–470

Tachyglossidae, 370
Tadarida, 225, 226
  brasiliensis, 223
Taeniopygia guttata, 244
Taxonomy, 345–369
Temperature preference, 178–195
Test,
  molecular, 222–232
  permutation, 158–171, 258–263
  probability, 258–263
  statistical, 158–171
Thalassiosiraceae, 141–157
Theriot, Edward, Clusters, species concepts, and morphological evolution of diatoms, 141–157
Theriot, Edward, review by, 125–126
Thewissen, J. G. M., and M. C. McKenna, Paleobiogeography of Indo-Pakistan: a response to Briggs, Patterson, and Owen, 248–251
Three-item statements, 490–494
Tineola bisselliella, 484–486
Townsend, John C., Jr., Accountant's report: annual meeting, 1992, 504–506
Trail, Pepper W., see Baptista, Luis F., and —
Treasurer's report: annual meeting, 1992, Roy W. McDiarmid, 502–503
Trees,
  additive, 158–171
  parsimonious, 33–40
  phylogenetic, 172–177, 378–384
  star, 158–171
Tribolium castaneum, 486
Trochilidae, 243
Tubbs, P. K., The International Commission on Zoological Nomenclature: what it is and how it operates, 135–137
Tupaia, 225
  glis, 223
Tymolidae, 459
Type II error, 471–482
Tyrannidae, 243, 473

Undirected, 172–177

Variables, errors in, 233–241
Variation,
  genetic, 421–435
  geographic, 273–291
  mitochondrial, 331–344
Variation in mitochondrial DNA and the biogeographic history of woodrats (*Neotoma*) of the eastern United States, John P. Hayes and Richard G. Harrison, 331–344
Vertebrate paleontology, 462–470
Vidua, 244
Vigilant, Linda, see Stoneking, Mark, —
Vogl, Claus, see Atchley, William R., —

Wake, David B., see Moritz, Craig, —
Walter Zimmermann and the growth of phylogenetic theory, Michael J. Donoghue and Joachim W. Kadereit, 74–85
Warheit, Kenneth I., review by, 392–395
Warheit, Kenneth I., The role of morphometrics and cladistics in the taxonomy of fossils: a paleornithological example, 345–369
Wilson, Mark V. H., Importance for phylogeny of single and multiple stem-group fossil species with examples from freshwater fishes, 462–470
Winsor, Mary P., Reading the shape of nature (rev.), 395–397
Wootton, R. J., see Rayner, J. M. V., and —
Wunderlichia, 441

Xanthidae, 447
Xantusiidae, 189, 190
Xenopus, 275, 276
Xiphosurus, 97, 101, 102, 104
Xyrauchen texanus, 44

Yangbiania, 465
Yezerinac, Stephen M., Stephen C. Lougheed, and Paul Handford, Measurement error and morphometric studies: statistical power and observer experience, 471–482

Zea mays, 269
Zimmermann, Walter, 74–85
Zonotrichia
  capensis, 473, 481
  leucophrys, 243, 244